


Channel Brackets

2-Hole, 3/8" Plate with Double 1-5/8" Channel Bracket Arms



SPECIFYING Brand & Part No.	L	Design Uniform Load Lbs. (kN)	DISCONTINUED Brands & Part No.	
			VERSABAR	FLORIDA STRUT
WESANCO W5652	12" (305mm)	1,800 (8.01 kN)	VB11120	BR421200
W5653	18" (457mm)	1,200 (5.34 kN)	VB11180	BR421800
W5654	24" (610mm)	1,000 (4.45 kN)	VB11240	BR422400
W5655	30" (762mm)	800 (3.56 kN)	VB11300	BR423000
W5656	36" (914mm)	660 (2.94 kN)	VB11360	BR423600

Design Uniform Load when attached to listed upright column.
Safety Factor: 2-1/2

Standard Finish: Electro Galvanized (EG) • Hole Diameter: 9/16" (14mm); Hole Spacing - From End: 13/16" (21mm); Hole Spacing - On Center: 1-7/8" (48mm); Width: 1-5/8" (41mm); Thickness: 1/4" (6mm)

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Hot Rolled Plate	A 575	See Finishes Below	Steel, sheet and strip, carbon drawing quality, hot rolled.
Fitting (Steel)	A 366 or A 36	See Finishes Below	Steel carbon, cold rolled sheet, commercial quality structural steel.
Electroplated	ASTM B 633	EG	Electro-Galvanized
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	HG	Fittings are hot dip galvanized after fabrication.
Paint-Green Powder Coating	--	GR	A dark green low gloss powder coating is applied and thoroughly baked after steel has been cleaned and phosphatized.
Plain	--	PL	Plain steel. Other commercially available finishes can be supplied per specification when required to protect applications.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	YC	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.
Stainless Steel:	A 240 TYPE 304	S4	Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel.
	A 240 TYPE 316	S6	
Aluminum	B 221 TYPE 6063 T6	AL	Aluminum alloy extruded bar, rod, wire, shape and tube.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		

W5652