


Channel Brackets

2-Hole, 1/4" Plate with 1-5/8" Channel Bracket Arms



SPECIFYING Brand & Part No.	L	Design Uniform Load Lbs. (kN)	DISCONTINUED Brands & Part No.	
			VERSABAR	FLORIDA STRUT
W5661	6" (152mm)	1,250 (5.56 kN)	VB1060FP	BR400600
W5661M9	9" (229mm)	1,100 (4.45 kN)	--	BR400900
W5662	12" (305mm)	750 (3.34 kN)	VB1120FP	BR401200
W5663	18" (457mm)	500 (2.22 kN)	VB1180FP	BR401800
W5664	24" (610mm)	350 (1.56 kN)	VB1240FP	BR402400

Design Uniform Load when attached to listed upright column.

Standard Finish: Electro Galvanized (EG) • Hole Diameter: 9/16" (14mm); Hole Spacing - From End: 13/16" (21mm); Hole Spacing - On Center: 1-7/8" (48mm); Width: 1-5/8" (41mm); Thickness: 1/4" (6mm)

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Hot Rolled Plate	A 575	See Finishes Below	Steel, sheet and strip, carbon drawing quality, hot rolled.
Fitting (Steel)	A 366 or A 36	See Finishes Below	Steel carbon, cold rolled sheet, commercial quality structural steel.
Electroplated	ASTM B 633	EG	Electro-Galvanized
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	HG	Fittings are hot dip galvanized after fabrication.
Paint-Green Powder Coating	--	GR	A dark green low gloss powder coating is applied and thoroughly baked after steel has been cleaned and phosphatized.
Plain	--	PL	Plain steel. Other commercially available finishes can be supplied per specification when required to protect applications.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	YC	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.
Stainless Steel:	A 240 TYPE 304	S4	Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel.
	A 240 TYPE 316	S6	
Aluminum	B 221 TYPE 6063 T6	AL	Aluminum alloy extruded bar, rod, wire, shape and tube.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		