



# Channel Nuts

## Channel Nut with Short Spring

For 13/16", 7/8", & 1" channel



Wide body on W5-10 & W5-075 only

SPECIFYING Brand & Part No.	Size	Thickness	DISCONTINUED Brands & Part No.	
			VERSABAR	FLORIDA STRUT
<b>WESANCO</b>				
W5-0832	#8-32	1/4" (6mm)	VSN40100832	W5-0832
W5-1032	#10-32		VSN40101032	W5-1032
W5-1024	#10-24		VSN40101024	W5-1024
W5-4	1/4"-20		VSN4025 *	CNS20025
B5-6025	3/8"-16		--	CNS20037
W5-5	5/16"-18	3/8" (10mm)	VSN4031	CNS30031
W5-6	3/8"-16		VSN4037 *	CNS30037
W5-044	7/16"-14		VSN4044	--
W5-8	1/2"-13		VSN4050 *	CNS30050
W5-10	5/8"-11		VSN4062	CNS30062
W5-075	3/4"-10		VSN4075	--
* Available in Stainless				

Standard Finish: Electro-Galvanized (EG)

### Finish or Material Order Codes

Material/Finish	ASTM Designation	Material/Finish Codes	Description
Bar Stock: Channel Nuts	A 36 or A 29-03		Merchant quality hot rolled carbon steel bars. Steel bars, carbon, hot rolled special quality.
Bar Stock	A 569		Merchant quality hot rolled carbon steel bars.
Hardware	A 563 or A 307		Carbon and alloy steel nuts. Carbon steel externally threaded standard fasteners.
Channel Nuts Stainless Steel	B783		Sintered 316 - "Domestic Nut"
	A240		Bar Stock 316 - "Import Nut"
Aluminum Nuts	B221	<b>AL</b>	Channel Nuts
Electroplated	B 633.	<b>EG</b>	Fittings and hardware supplied as "Electro-Galvanized" in accordance with ASTM B 633.
Mill-Galvanized (Pre-Galvanized)	A 653 SS GR33 G90.	<b>PG</b>	Galvanized steel used in the manufacture of channel sections. Uncoated edges resulted from slitting, punching and channel cut off are present.
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	<b>HG</b>	Channel and fittings which are hot dip galvanized after fabrication.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	<b>YC</b>	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.

### PROJECT INFORMATION:

### APPROVAL STAMP:

<b>Project:</b>		
<b>Date:</b>	<b>Phone:</b>	
<b>Architect / Engineer:</b>		
<b>Contractor:</b>		
<b>Address:</b>		
<b>Notes 1:</b>		

W5-x

C08/24 - 3

**WARNING:** Cancer and Reproductive Harm Warning. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

[www.ZSIINC.com](http://www.ZSIINC.com)

