



Channel Nuts

Seismic Bracing Rod Stiffener

Use with 3/8", 1/2" & 5/8" Threaded Rod
Available in Stainless Steel 316 & 304



SPECIFYING Brand & Part No.	DISCONTINUED Brands & Part No.	
WESANCO	VERSABAR	FLORIDA STRUT
B2486	VN1RS	B2486
Available in Stainless Steel 316 & 304		

Standard Finish: Electro-Galvanized (EG)

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Bar Stock: Channel Nuts	A 36 or A 29-03		Merchant quality hot rolled carbon steel bars. Steel bars, carbon, hot rolled special quality.
Bar Stock	A 569		Merchant quality hot rolled carbon steel bars.
Hardware	A 563 or A 307		Carbon and alloy steel nuts. Carbon steel externally threaded standard fasteners.
Channel Nuts Stainless Steel	B783		Sintered 316 - "Domestic Nut"
	A240		Bar Stock 316 - "Import Nut"
Aluminum Nuts	B221	AL	Channel Nuts
Electroplated	B 633.	EG	Fittings and hardware supplied as "Electro-Galvanized" in accordance with ASTM B 633.
Mill-Galvanized (Pre-Galvanized)	A 653 SS GR33 G90.	PG	Galvanized steel used in the manufacture of channel sections. Uncoated edges resulted from slitting, punching and channel cut off are present.
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	HG	Channel and fittings which are hot dip galvanized after fabrication.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	YC	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		

B2486

C08/24 - 9

WARNING: Cancer and Reproductive Harm Warning.
For more information go to www.P65Warnings.ca.gov.

www.ZSIINC.com

