

Flat Washer



| SPECIFYING Brand & Part No. | Size | OD | DISCONTINUED Brands & Part No. | |
|-----------------------------|-------|---------------|--------------------------------|---------------|
| | | | VERSABAR | FLORIDA STRUT |
| FW25 | 1/4" | 3/4" (19mm) | 25FW | FW0025 |
| FW31 | 5/16" | 7/8" (22mm) | 31FW | -- |
| FW37 | 3/8" | 1" (25mm) | 37FW | FW0037 |
| FW50 | 1/2" | 1-3/8" (35mm) | 50FW | FW0050 |
| FW62 | 5/8" | 1-3/4" (44mm) | 62FW | FW0062 |
| FW75 | 3/4" | 2" (51mm) | -- | FW0075 |

* Available in stainless steel

Standard Finish: Electro-Galvanized (EG)

Finish or Material Order Codes

| Material/Finish | ASTM Designation | Material/Finish Codes | Description |
|--|--------------------------------------|-----------------------|---|
| Bar Stock | A 569 | | Merchant quality hot rolled carbon steel bars. |
| Hardware | A 563 or A 307 | | Carbon and alloy steel nuts. Carbon steel externally threaded standard fasteners. |
| Electroplated | B 633. | EG | Fittings and hardware supplied as "Electro-Galvanized" in accordance with ASTM B 633. |
| Mill-Galvanized (Pre-Galvanized) | A 653 SS GR33 G90. | PG | Galvanized steel used in the manufacture of channel sections. Uncoated edges resulted from slitting, punching and channel cut off are present. |
| Hot Dip Galvanized After Fabrication | ASTM A 123, ASTM A153, or ASTM A386. | HG | Channel and fittings which are hot dip galvanized after fabrication. |
| Special Coatings Yellow Passivate (Trivalent Chromium) | ASTM B63 | YC | Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish. |
| Stainless Steel: | A 240 TYPE 304 | S4 | Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel. |
| | A 240 TYPE 316 | S6 | |
| Aluminum | B 221 TYPE 6063 T6 | AL | Aluminum alloy extruded bar, rod, wire, shape and tube. |

PROJECT INFORMATION:

APPROVAL STAMP:

| | | |
|------------------------------|---------------|--|
| Project: | | |
| Date: | Phone: | |
| Architect / Engineer: | | |
| Contractor: | | |
| Address: | | |
| Notes 1: | | |