


# Strut Clamps



EMT Strut Clamp



SPECIFYING Brand & Part No.	EMT Size	O.D. Size	Gauge	Allowable Load Lbs. (kN) (ea.)	Slotted Indented Hex Cap Screw	DISCONTINUED Brands & Part No.	
						VERSABAR	FLORIDA STRUT
WESANCO							
W6025A	3/8" (10mm)	0.577"	16	400 (1.78 kN)	1/4" x 3/4"	VPT1037	SCE0037
W6026A	1/2" (13mm)	0.706"			1/4" x 3/4"	VPT1050	SCE0050
W6028A	3/4" (19mm)	0.922"			1/4" x 3/4"	VPT1075	SCE0075
W6030A	1" (25mm)	1.163"	14	600 (2.67 kN)	1/4" x 3/4"	VPT1100	SCE0100
W6032A	1-1/4" (32mm)	1.510"			1/4" x 3/4"	VPT1125	SCE0125
W6034A	1-1/2" (38mm)	1.740"	12	800 (3.56 kN)	5/16" x 1"	VPT1150	SCE0150
W6038A	2" (51mm)	2.197"			5/16" x 1"	VPT1200	SCE0200

Each clamp consists of two halves, one kept nut and one slotted hex head cap screw.

Standard Finish: Electro Galvanized (EG) • Hole Diameter: 9/16" (14mm); Hole Spacing - From End: 13/16" (21mm); Hole Spacing - On Center: 1-7/8" (48mm); Width: 1-5/8" (41mm); Thickness: 1/4" (6mm)

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Hot Rolled Plate	A 575	See Finishes Below	Steel, sheet and strip, carbon drawing quality, special killed, hot rolled.
Fitting (Steel)	A 366 or A 36	See Finishes Below	Steel carbon, cold rolled sheet, commercial quality structural steel.
Strip Steel: Pipe Clamps	A 569	See Finishes Below	Steel, sheet and strip, carbon drawing quality, special killed, hot rolled.
Electroplated	ASTM B 633	EG	Fittings and hardware supplied as "Electro-Galvanized"
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	HG	Channel and fittings which are hot dip galvanized after fabrication.
Paint-Green Powder Coating	--	GR	A dark green low gloss powder coating is applied and thoroughly baked after steel has been cleaned and phosphatized.
Plain	--	PL	Other commercially available finishes can be supplied per specification when required to protect applications.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	YC	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.
Stainless Steel:	A 240 TYPE 304	S4	Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel.
	A 240 TYPE 316	S6	
Aluminum	B 221 TYPE 6063 T6	AL	Aluminum alloy extruded bar, rod, wire, shape and tube.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		

W6025A

G08/24 - 2

**WARNING:** Cancer and Reproductive Harm Warning. For more information go to www.P65Warnings.ca.gov.

www.ZSIINC.com

