


# Tube Clamps

## 1-Hole O.D. Tubing Clamp



1/4" Machine Screw and Strut Nut Not Included

SPECIFYING Brand & Part No. WESANCO	O.D. Tube Size	CL	DISCONTINUED Brands & Part No.	
			VERSABAR	FLORIDA STRUT
W7724	1/4"	9/16" (14mm)	VT2025	TC10025
W7724A	5/16"	9/16" (14mm)	VT2031	TC10031
W7725	3/8"	5/8" (16mm)	VT2037	TC10037
W7726	1/2"	11/16" (17mm)	VT2050	TC10050
W7727	5/8"	3/4" (19mm)	VT2062	TC10062
W7728	3/4"	13/16" (21mm)	VT2075	TC10075
W7729	7/8"	7/8" (22mm)	VT2087	TC10087
W7730	1"	15/16" (24mm)	VT2100	TC10100

Standard Finish: Electro Galvanized (EG) • Hole Diameter: 9/16" (14mm); Hole Spacing - From End: 13/16" (21mm); Hole Spacing - On Center: 1-7/8" (48mm); Width: 1-5/8" (41mm); Thickness: 1/4" (6mm)

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Hot Rolled Plate	A 575	See Finishes Below	Steel, sheet and strip, carbon drawing quality, special killed, hot rolled.
Fitting (Steel)	A 366 or A 36	See Finishes Below	Steel carbon, cold rolled sheet, commercial quality structural steel.
Strip Steel: Pipe Clamps	A 569	See Finishes Below	Steel, sheet and strip, carbon drawing quality, special killed, hot rolled.
Electroplated	ASTM B 633	EG	Fittings and hardware supplied as "Electro-Galvanized"
Hot Dip Galvanized After Fabrication	ASTM A 123, ASTM A153, or ASTM A386.	HG	Channel and fittings which are hot dip galvanized after fabrication.
Paint-Green Powder Coating	--	GR	A dark green low gloss powder coating is applied and thoroughly baked after steel has been cleaned and phosphatized.
Plain	--	PL	Other commercially available finishes can be supplied per specification when required to protect applications.
Special Coatings Yellow Passivate (Trivalent Chromium)	ASTM B63	YC	Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish.
Stainless Steel:	A 240 TYPE 304	S4	Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel.
	A 240 TYPE 316	S6	
Aluminum	B 221 TYPE 6063 T6	AL	Aluminum alloy extruded bar, rod, wire, shape and tube.

PROJECT INFORMATION:		APPROVAL STAMP:
<b>Project:</b>		
<b>Date:</b>	<b>Phone:</b>	
<b>Architect / Engineer:</b>		
<b>Contractor:</b>		
<b>Address:</b>		
<b>Notes 1:</b>		

W7724

G08/24 - 10

**WARNING:** Cancer and Reproductive Harm Warning. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

[www.ZSIINC.com](http://www.ZSIINC.com)

