


SUBMITTAL SHEETS

Post Bases



Rectangular Plate 8-Hole Post Base Single Channel Tall Clevis



| SPECIFYING Brand & Part No. | DISCONTINUED Brands & Part No. | |
|--------------------------------|--------------------------------|---------------|
| | VERSABAR | FLORIDA STRUT |
| WESANCO W5810 | -- | P10 |

Standard Finish: Electro Galvanized (EG) • Hole Diameter: $\frac{3}{16}$ " (14mm); Hole Spacing - From End: $\frac{13}{16}$ " (21mm); Hole Spacing - On Center: $1\frac{7}{8}$ " (48mm); Width: $1\frac{5}{8}$ " (41mm); Thickness: $\frac{1}{4}$ " (6mm)

| Finish or Material Order Codes | | | |
|--|--------------------------------------|-----------------------|---|
| Material/Finish | ASTM Designation | Material/Finish Codes | Description |
| Hot Rolled Plate | A 575 | See Finishes Below | Steel, sheet and strip, carbon drawing quality, special killed, hot rolled. |
| Fitting (Steel) | A 366 or A 36 | See Finishes Below | Steel carbon, cold rolled sheet, commercial quality structural steel. |
| Electroplated | ASTM B 633 | EG | Fittings and hardware supplied as "Electro-Galvanized" |
| Hot Dip Galvanized After Fabrication | ASTM A 123, ASTM A153, or ASTM A386. | HG | Channel and fittings which are hot dip galvanized after fabrication. |
| Paint-Green Powder Coating | -- | GR | A dark green low gloss powder coating is applied and thoroughly baked after steel has been cleaned and phosphatized. |
| Plain | -- | PL | Other commercially available finishes can be supplied per specification when required to protect applications. |
| Special Coatings Yellow Passivate (Trivalent Chromium) | ASTM B63 | YC | Fittings and hardware supplied as "Electro-Galvanized", with a "Yellow" Dichromate conversion coat versus the clear conversion coat of the EG finish. |
| Stainless Steel: | A 240 TYPE 304 | S4 | Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel. |
| | A 240 TYPE 316 | S6 | |
| Aluminum | B 221 TYPE 6063 T6 | AL | Aluminum alloy extruded bar, rod, wire, shape and tube. |

| PROJECT INFORMATION: | | APPROVAL STAMP: |
|-----------------------|--------|-----------------|
| Project: | | |
| Date: | Phone: | |
| Architect / Engineer: | | |
| Contractor: | | |
| Address: | | |
| Notes 1: | | |

W5810

E08/24 - 50

WARNING: Cancer and Reproductive Harm Warning.
For more information go to www.P65Warnings.ca.gov.

www.ZSIINC.com

