

# SUBMITTAL SHEETS



## Spring Steel



### Structural Attachment

#### FVZ RH

Flange hanger with Rod Hanger Push Install



- **FHV3:** Suspends plain and threaded rod from bar joist's and "C" purlin's.
- **FHV4:** Extra long clip suspends plain and threaded rod from bar joist's.
- **FHZ:** Angled clip suspends plain and threaded rod from "Z" purlin's.
- Easy adjustment of rod after installation.
- Compatible with many industry standard installation tools.
- **Material:** Spring Steel
- **Finish:** Silva-Guard


Part No.	Wire / Rod Size	Min. - Max. Flange Thickness
<b>FHV3RH4</b>	#8 Wire or 1/4" Plain or Threaded Rod	1/16" - 1/4"
<b>FHV3RH6</b>	3/8" Plain or Threaded Rod	
<b>FHV4RH4</b>	#8 Wire or 1/4" Plain or Threaded Rod	1/16" - 1/4"
<b>FHV4RH6</b>	3/8" Plain or Threaded Rod	
<b>FHZRH4</b>	#8 Wire or 1/4" Plain or Threaded Rod	1/16" - 1/4"
<b>FHZRH6</b>	3/8" Plain or Threaded Rod	

Finish or Material Order Codes			
Material/Finish	ASTM Designation	Material/Finish Codes	Description
Carbon Steel	ASTM A1011-00 SS GR 33 or ASTM A1011-00CS Type B	See Finishes Below	Steel
Spring Steel	ASTM A684 Grade 1055	See Finishes Below	Cold rolled Spring Steel sheet
Silva-Guard	--	<b>SG</b>	Silva-Guard coating is a multi-step process that meets the 1000 hour salt spray test per ASTM B117 and DIN 50021. Silva-Guard coating is WEEE, ELV and RoHS compliant. SG Finish is approved for outdoor as well as indoor applications. It is a chrome free duplex coating system that combines an inorganic zinc-rich base coat with an aluminum-rich organic topcoat.
Electroplated	ASTM B 633 SC1 or SC3, Type III	<b>EG</b>	This coating is standard for most products. Electroplating deposits zinc on the surface of the steel by electrolysis from a bath of zinc salts.
Pre-Galvanized	A 653 SS GR33 G90.	<b>PG</b>	Pre-galvanized zinc is produced by continuously rolling steel coils or sheets through molten zinc at the mills.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		

FVZ-RH

H08/24 - 67



www.ZSIINC.com

